



Rewarding Learning

**General Certificate of Secondary Education
2022**

Chemistry

Unit 3: Practical Skills

Practical Booklet B

Higher Tier

[GCM34]

MONDAY 27 JUNE, AFTERNOON

**MARK
SCHEME**

General Marking Instructions

Introduction

Mark schemes are intended to ensure that the GCSE examinations are marked consistently and fairly. The mark schemes provide markers with an indication of the nature and range of candidates' responses likely to be worthy of credit. They also set out the criteria which they should apply in allocating marks to candidates' responses.

Assessment objectives

Below are the assessment objectives for GCSE Chemistry.

Candidates must:

AO¹ Demonstrate knowledge and understanding of:

- scientific ideas;
- scientific techniques and procedures.

AO² Apply knowledge and understanding of and develop skills in:

- scientific ideas;
- scientific enquiry, techniques and procedures.

AO³ Analyse scientific information and ideas to:

- interpret and evaluate;
- make judgements and draw conclusions;
- develop and improve experimental procedures.

Quality of candidates' responses

In marking the examination papers, examiners should be looking for a quality of response reflecting the level of maturity which may reasonably be expected of a 16-year-old which is the age at which the majority of candidates sit their GCSE examinations.

Flexibility in marking

Mark schemes are not intended to be totally prescriptive. No mark scheme can cover all the responses which candidates may produce. In the event of unanticipated answers, examiners are expected to use their professional judgement to assess the validity of answers. If an answer is particularly problematic, then examiners should seek the guidance of the Supervising Examiner.

Positive marking

Examiners are encouraged to be positive in their marking, giving appropriate credit for what candidates know, understand and can do rather than penalising candidates for errors or omissions. The exception to this for GCSE Chemistry is when examiners are marking complex calculations when the examiners are briefed to mark by error or omission. Examiners should make use of the whole of the available mark range for any particular question and be prepared to award full marks for a response which is as good as might reasonably be expected of a 16-year-old GCSE candidate.

Awarding zero marks

Marks should only be awarded for valid responses and no marks should be awarded for an answer which is completely incorrect or inappropriate.

Marking Calculations

In marking answers involving calculations, examiners should apply the 'carry error through' rule so that candidates are not penalised more than once for a computational error. To avoid a candidate being penalised, marks can be awarded where correct conclusions or inferences are made from their incorrect calculations.

Types of mark schemes

Mark schemes for tasks or questions which require candidates to respond in extended written form are marked on the basis of levels of response which take account of the quality of written communication.

Other questions which require only short answers are marked on a point for point basis with marks awarded for each valid piece of information provided.

Levels of response

In deciding which level of response to award, examiners should look for the number of indicative content points in candidate responses to ensure that the answer has been written to coincide with the question. In deciding which mark within a particular level to award to any response, quality of communication will be assessed and examiners are expected to use their professional judgement.

The following guidance is provided to assist examiners.

- **Threshold performance:** Response which just merits inclusion in the level and should be awarded a mark at or near the bottom of the range.
- **High performance:** Response which fully satisfies the level description and should be awarded a mark at or near the top of the range.

Quality of written communication

Quality of written communication is taken into account in assessing candidates' responses to all tasks and questions that require them to respond in extended written form. These tasks and questions are marked on the basis of bands of response. The description for each band of response includes reference to the quality of written communication.

For conciseness, quality of written communication is distinguished within bands of response as follows:

Band A: Quality of written communication is excellent.

Band B: Quality of written communication is good.

Band C: Quality of written communication is basic.

Band D: Response not worthy of credit

In interpreting these band descriptions, examiners should refer to the more detailed guidance provided below:

Band A (Excellent): Excellent reference to scientific terminology. The candidate successfully selects and uses the most appropriate form and style of writing. Relevant material is organised with a high degree of clarity and coherence. There is widespread and accurate use of appropriate specialist vocabulary. Presentation, spelling, punctuation and grammar are of a sufficiently high standard to make meaning clear.

Band B (Good): Good reference to scientific terminology. The candidate makes a reasonable selection and use of an appropriate form and style of writing. Relevant material is organised with some clarity and coherence. There is some use of appropriate specialist vocabulary. Presentation, spelling, punctuation and grammar are sufficiently competent to make meaning clear.


Band C (Basic): Basic reference to scientific terminology. The candidate makes only a limited selection and use of an appropriate form and style of writing. The organisation of material may lack clarity and coherence. There is little use of specialist vocabulary. Presentation, spelling, punctuation and grammar may be such that intended meaning is not clear.

COVID-19 Context

Given the unprecedented circumstances presented by the COVID-19 public health crisis, senior examiners, under the instruction of CCEA awarding organisation, are required to train assistant examiners to apply the mark scheme in case of disrupted learning and lost teaching time. The interpretation and intended application of the mark scheme for this examination series will be communicated through the standardising meeting by the Chief or Principal Examiner and will be monitored through the supervision period. This paragraph will apply to examination series in 2021–2022 only.

- 1 (a) the mass [1] of solid required to saturate 100 g [1] of water at a particular temperature [1] [3]

(b) (i)



points plotted correctly [2]
best fit line [1] [3]

(ii) 67 °C units essential [1]

(iii) solubility at 70 °C = 49 [1] g/100 g H₂O
solubility at 10 °C = 31 [1] g/100 g H₂O
difference in solubility = 49 – 31 = 18 [1] g
mass crystallised = 0.8 × 18 = 14.4 [1] g [4]

(iv) solubility at 50 °C = 43 [1] g/100 g H₂O
maximum mass in 20 g of water = 0.2 × 43 = 8.6 [1] g
mass not dissolved = 10 – 8.6 = 1.4 [1] g [3]

AVAILABLE
MARKS

14

			AVAILABLE MARKS		
2	(a) (i)	Ca + 2H ₂ O → Ca(OH) ₂ + H ₂ correct formulae of reactants [1] correct formulae of products [1] correct balancing [1]	[3]	15	
		(ii) any two from: fizzing/bubbles/effervescence [1] milky/white solid [1] calcium metal disappears [1]	[2]		
	(b) (i)	A = damp mineral wool [1] B = delivery tube [1]	[2]		
		(ii) 2Al(s) + 3H ₂ O(g) → Al ₂ O ₃ (s) + 3H ₂ (g) correct formulae of reactants [1] correct formulae of products [1] correct balancing [1] correct state symbols [1]	[4]		
	(c)	(iii) prevent suckback	[1]		
		(i) Any two of (green) solution fades/changes to colourless [1] black/grey solid forms [1] heat released [1]	[2]		
		(ii) magnesium, iron, cobalt, copper	[1]		
	3	(a) (i)	potassium (ion)/K ⁺		[1]
			(ii) aluminium (ion)/Al ³⁺ [1] zinc (ion)/Zn ²⁺ [1]		[2]
			(iii) Cl ⁻		[1]
(iv) Ag ⁺ (aq) + Cl ⁻ (aq) → AgCl(s) correct formulae of reactants [1] correct formula of product [1] correct state symbols [1]			[3]		
(v) potassium chloride/zinc chloride/aluminium chloride		[1]			
(b)		dip a nichrome wire [1] into concentrated hydrochloric acid [1] and into (solid) sample [1] place in blue Bunsen burner flame [1]	[4]	12	

4 (a) water that is chemically bonded into the crystal structure [1]

(b) **indicative content**

- evaporating basin/crucible
- Bunsen burner with tripod, gauze/pipe-clay triangle if crucible used
- weigh container with hydrated solid
- heat and weigh
- repeat until mass no longer changes/consecutive mass the same
- subtract final mass from initial mass to find mass of water

Response	Mark
Candidates must use appropriate specialist terms (using 5–6 points of indicative content). They use good spelling, punctuation and grammar and the form and style are of a high standard.	[5]–[6]
Candidates use some appropriate specialist terms (using 3–4 points of indicative content). They use satisfactory spelling, punctuation and grammar and the form and style are of a satisfactory standard.	[3]–[4]
Candidates use very few specialist terms (using at least 2 points of indicative content). They use limited spelling, punctuation and grammar. The form and style are of a limited standard.	[1]–[2]
A response not worthy of credit.	[0]

[6]

(c) add the liquid to anhydrous copper(II) sulfate [1]
changes from white [1] to blue [1] [3]

(d) moles of $\text{MgSO}_4 \cdot 7\text{H}_2\text{O} = \frac{1.23}{246} = 0.005$ [1]
moles of $\text{H}_2\text{O} = 0.005 \times 7 = 0.035$ [1]
mass of $\text{H}_2\text{O} = 0.035 \times 18 = 0.63$ [1] g [3]

13

- 5 (a) rinse the pipette with unknown metal hydroxide solution [1]
 using a pipette filler [1]
 draw up unknown metal hydroxide solution until bottom of meniscus is
 on the line [1]
 transfer to conical flask and touch tip of the pipette onto surface of
 solution [1] [4]
- (b) yellow [1] to red [1] [2]
- (c) any **two** from:
 add dropwise near the end point [1]
 read from the bottom of the meniscus [1]
 swirl the conical flask [1] [2]
- (d) (i) 12.5 cm³ [2]
 12.5 [1]
 (use of rough 12.7 cm³ [1]) [2]
- (ii) moles of HCl = $\frac{12.5 \times 0.16}{1000} = 0.002$ [1]
- (iii) moles of M(OH)₂ in 25.0 cm³ = $\frac{0.002}{2} = 0.001$ [1]
- (iv) moles of M(OH)₂ in 1 dm³ = 0.001 × 40 = 0.04 [1]
- (v) RFM = $\frac{6.84}{0.04} = 171$ [1]
- (vi) RAM = 171 – 34 = 137 [1]
 identify = Ba/barium [1] [2]

Total

**AVAILABLE
MARKS**

16

70