



Rewarding Learning

**General Certificate of Secondary Education
2025**

GCSE Physics

Unit 1
Higher Tier

[GPY12]

THURSDAY 22 MAY, MORNING

MARK SCHEME

General Marking Instructions

Introduction

Mark schemes are intended to ensure that the GCSE examinations are marked consistently and fairly. The mark schemes provide markers with an indication of the nature and range of candidates' responses likely to be worthy of credit. They also set out the criteria which they should apply in allocating marks to candidates' responses.

Assessment objectives

Below are the assessment objectives for GCSE Physics

Candidates must:

- AO1** Demonstrate knowledge and understanding of scientific ideas, scientific techniques and procedures;
- AO2** Apply knowledge and understanding of scientific ideas, scientific enquiry, techniques and procedures; and
- AO3** Analyse information and ideas to interpret and evaluate; make judgements and draw conclusions; develop and improve experimental procedures.

Quality of candidates' responses

In marking the examination papers, examiners should be looking for a quality of response reflecting the level of maturity which may reasonably be expected of a 16-year-old which is the age at which the majority of candidates sit their GCSE examinations.

Flexibility in marking

Mark schemes are not intended to be totally prescriptive. No mark scheme can cover all the responses which candidates may produce. In the event of unanticipated answers, examiners are expected to use their professional judgement to assess the validity of answers. If an answer is particularly problematic, then examiners should seek the guidance of the Supervising Examiner.

Positive marking

Examiners are encouraged to be positive in their marking, giving appropriate credit for what candidates know, understand and can do rather than penalising candidates for errors or omissions. Examiners should make use of the whole of the available mark range for any particular question and be prepared to award full marks for a response which is as good as might reasonably be expected of a 16-year-old GCSE candidate.

Where one response is required to gain a mark, candidates will not gain credit if a correct response is given alongside one or more incorrect responses. This is referred to as listing.

Awarding zero marks

Marks should only be awarded for valid responses and no marks should be awarded for an answer which is completely incorrect or inappropriate.

Marking Calculations

In marking answers involving calculations, examiners should apply the 'own figure rule' so that candidates are not penalised more than once for a computational error.

Types of mark schemes

Mark schemes for tasks or questions which require candidates to respond in extended written form are marked on the basis of levels of response which take account of the quality of written communication.

Other questions which require only short answers are marked on a point for point basis with marks awarded for each valid piece of information provided.

Levels of response

Tasks and questions requiring candidates to respond in extended writing are marked in terms of levels of response. In deciding which level of response to award, examiners should look for the 'best fit' bearing in mind that weakness in one area may be compensated for by strength in another. In deciding which mark within a particular level to award to any response, examiners are expected to use their professional judgement. The following guidance is provided to assist examiners.

- **Threshold performance:** Response which just merits inclusion in the level and should be awarded a mark at or near the bottom of the range.
- **Intermediate performance:** Response which clearly merits inclusion in the level and should be awarded a mark at or near the middle of the range.
- **High performance:** Response which fully satisfies the level description and should be awarded a mark at or near the top of the range.

Quality of written communication

Quality of written communication (QWC) is taken into account in assessing candidates' responses to all tasks and questions that require them to respond in extended written form. These tasks and questions are marked on the basis of levels of response. The description for each level of response includes reference to the quality of written communication.

For conciseness, quality of written communication is distinguished within levels of response as follows:

Level A: Quality of written communication is excellent.

Level B: Quality of written communication is good.

Level C: Quality of written communication is basic.

In interpreting these level descriptions, examiners should refer to the more detailed guidance provided below:

Level A (Excellent): The candidate successfully selects and uses the most appropriate form and style of writing. Relevant material is organised with a high degree of clarity and coherence. There is widespread and accurate use of appropriate specialist vocabulary. Presentation and spelling, punctuation and grammar (SPG) are of a sufficiently high standard to make meaning clear.

Level B (Good): The candidate makes a reasonable selection and use of an appropriate form and style of writing. Relevant material is organised with some clarity and coherence. There is some use of appropriate specialist vocabulary. Presentation and spelling, punctuation and grammar (SPG) are sufficiently competent to make meaning clear.

Level C (Basic): The candidate makes only a limited selection and use of an appropriate form and style of writing. The organisation of material may lack clarity and coherence. There is little use of specialist vocabulary. Presentation and spelling, punctuation and grammar (SPG) may be such that intended meaning is not clear.

- 1 (a) (i) (Average velocity =) $\frac{\text{displacement}}{\text{time}}$ [1]
 $\frac{5}{5} = 1 \text{ (m/s)}$ [1]
- (ii) (As time increases) the distance moved per second increase or increasing gradient [1] [3]
- (b) (i) Acceleration = gradient or $\frac{(v-u)}{t}$ [1]
 $= \frac{(-40-40)}{8}$ or $\frac{0-40}{4}$ [1]
 $= \frac{-80}{8} = -10 \text{ (m/s}^2\text{)}$ or $\frac{-40}{4} = -10 \text{ (m/s}^2\text{)}$ [1]
- (ii) Average velocity = $\frac{1}{2}(\text{initial} + \text{final})$ [1]
 $= \frac{1}{2}(40 + 0)$ [1]
 $= 20 \text{ (m/s)}$ [1]
- (iii) Maximum height = area under graph or $h = av^e v \times t$ [1]
 $= \frac{1}{2}(4 \times 40)$ $= \left(\frac{40}{2}\right) \times 4$ [1]
 $= 80 \text{ (m)}$ $= 80 \text{ (m)}$ [1]
- Alternative methods
 $s = \frac{1}{2}(u + v)t$ $s = \frac{1}{2}(40 + 0)4$ $s = 80 \text{ (m)}$
 $v^2 = u^2 + 2as$ $0 = 40^2 - 2 \times 10 \times s$ $s = 80 \text{ (m)}$
 $s = ut + \frac{1}{2}at^2$ $40 \times 4 - \frac{1}{2}(10 \times 4^2)$ $s = 80 \text{ (m)}$
- (iv) It is falling/change of direction [1]
- (v) Area between 4 s and 6 s = $\frac{1}{2} \times 2 \times 20 = 20$ [1]
 Alternative methods
 $s = \frac{1}{2}(u + v)t$ $s = \frac{1}{2}(0 + 20)2$ $s = 20 \text{ (m)}$
 $v^2 = u^2 + 2as$ $20^2 = 0 + 2 \times 10 \times s$ $s = 20 \text{ (m)}$
 $s = ut + \frac{1}{2}at^2$ $s = 0 + \frac{1}{2}(10 \times 2^2)$ $s = 20 \text{ (m)}$
- Height = $80 - 20$ allow ecf for max height from (iii) [1]
 $= 60 \text{ (m)}$ [1]
- (vi) From 0,20 passing through 2,0 [1]
 Ending at (4,-20) [1] [15]

(c) **Indicative content**

Independent variable is **height of the ramp**

Dependent variable is **time**

Controlled variable is **distance moved down the ramp**

Repeat and average the timings

Prediction as the height of the ramp increase the time decreases

Anomalous result: one that doesn't fit the pattern, an outlier or similar idea

Anomalous result – **disregard** or **repeat**

Candidates describe in detail using good spelling, punctuation and grammar 5 or more points shown above. The form and style are of a high standard and specialist terms are used appropriately at all times.	[5] – [6]
Candidates describe in detail using good spelling, punctuation and grammar 3 or 4 points shown above. The form and style are of a high standard and specialist terms are used appropriately at all times.	[3] – [4]
Candidates make some reference to 1 or 2 of the main points shown above using satisfactory spelling, punctuation and grammar. The form and style are of a satisfactory standard and they have made some reference to specialist terms.	[1] – [2]
Response not worthy of credit.	[0]

[6]

AVAILABLE
MARKS

24

2	(a) (i) The amount of matter (in an object)	[1]	
	(ii) The force of gravity (on the object)	[1]	
	(iii) Resultant force = 45 (N)	[1]	[3]
(b)	(i) Friction = $0.3 \times 22\,5000$ or $0.3 \times (2.25 \times 10^5)$ = 67 500 (N) or 6.75×10^4 (N)	[1] [1]	
	(ii) 67 500 (N) (threshold) ecf from (i) Constant velocity (means balanced forces) (or equivalent)	[1] [1]	[4]
(c)	(i) $F = ma$ = $2 \times 10^5 \times 0.4$ = 8×10^4 (N) or 80 000 (N)	[1] [2] [1]	
	(ii) (Force caused by brakes) = $8 \times 10^4 - 2.5 \times 10^4$ or 80 000 – 25 000 = 55 000 or 5.5×10^4 All ecf from (i) = 55 (kN)	[1] [1] [1]	[7]
(d)	(i) Anticlockwise moments equals Clockwise moments (threshold) About the (same) point or pivot When a body is in equilibrium	[1] [1] [1]	
	(ii) ACM = CM (already credited) $3.0 \times 20 = 2.0 \times y$ $y = 30$ (cm)	[2] [1]	[6]
(e)	$P = \frac{F}{A}$ $30 = \frac{\text{weight}}{1200}$ weight = 36 000 (N) or 3.6×10^4 (N)	[1] [1] [1]	[3]

AVAILABLE
MARKS

23

			AVAILABLE MARKS		
3 (a)	(i)	Volume = area × height = 0.5 × 0.6 = 0.3 (cm ³)	[1] [1]	11	
	(ii)	Volume of blocks = 120 – 90 = 30 (cm ³) Number of blocks = $\frac{30}{0.3}$ ecf from (i) = 100	[1] [1] [1]		
	(iii)	Mass = density × volume Mass of all blocks = 8 × 30 = 240 (g) Reading on balance = 320 + 240 = 560 (g)	[1] [1] [1] [1]		[9]
	(b)	Spacing of particles/atoms/molecules is greater in air than metal or converse spacing in metal is less than in air	[1] [1]		[2]

- 4 (a) (i) Renewable is replenished naturally within a human lifetime or will never run out [1]
 Non-renewable will run out/has limited supply [1]
- (ii) Any **two** from:
 Possible renewable – wind, solar, wave, geothermal, wood, hydroelectricity, tidal [2]
- (iii) Any **two** from:
 Possible non-renewable – coal, oil, gas, uranium, nuclear fission [2]
- (iv) Climate change or carbon dioxide released/global warming/greenhouse effect [1]
 Deforestation or sulphur dioxide released or acid rain [1]
 Air pollution [1] [8]
- (b) (i) $KE = \frac{1}{2} mv^2$ $m = 1 \times 10^8 \text{ kg}$ [1]
 $= \frac{1}{2} \times (1 \times 10^5 \times 10^3) \times 2^2$ or $KE = \frac{1}{2} \times (1 \times 10^8) \times 2^2$ [3]
 $= 200\,000\,000 (2 \times 10^8) \text{ (J)}$ $= 2 \times 10^8 \text{ (J)}$ [1]
- (ii) $2 \times 10^8 \text{ (J)}$ ecf from (i) [1]
- (iii) Work = force \times distance [1]
 $2 \times 10^8 = F \times 400$ [1]
 $F = 500\,000 \text{ (N)}$ [1]
 ecf from (ii)
- (iv) Power = $\frac{\text{energy}}{\text{time}}$ [1]
 $= \frac{200\,000\,000}{80}$ [1]
 $= 2.5 \times 10^6$ [1]
 Unit = W or watt [1] [13]
 ecf from (ii)
- (c) (i) PE = mgh [1]
 $= 0.75 \times 10 \times 300$ [1]
 $= 2250 \text{ (J)}$ [1]
- (ii) KE = Total energy – potential energy [1]
 $= 2850 - 2250 = 600 \text{ (J)}$ [1]
 ecf from (c)(i) [5]

AVAILABLE
MARKS

26

			AVAILABLE MARKS	
5	(a) (i)	Gamma ray	[1]	
		Beta particle	[1]	
		Alpha particle	[1]	
		(ii) Removes electrons/creates positive ions	[1]	
		(iii) Damages/kills cells/DNA or causes cancer/tumours/abnormal cell growth	[1]	[5]
	(b) (i)	Background is subtracted	[1]	
		(ii) 120 to 60 = one half-life = 30 (s)	[1] [1]	[3]
	(c) (i)	16 – 8 – 4 or two half lives	[1]	
		5730 + 5730 = 11 460 (years)	[1]	
		(ii) A = number of neutrons + protons Z = number of protons	[1] [1]	
	(iii) ${}_{6}^{14}\text{C} \rightarrow {}_{7}^{14}\text{N} + {}_{-1}^{0}\beta$	[4]	[8]	
			16	
Total			100	